

SAFETY DATA SHEET

SECTION 1

Product & Supplier Identification

Product Name: Glue Gun / Glue Sticks Product Code: PAD1000 / PAD1100

Company: Shesto Ltd

Address: Sunley House, Olds Approach, Watford WD18 9TB, United Kingdom

Telephone: +44 (0)20 8451 6188

Use: Glue adhesive

SECTION 2 Composition/Information on Ingredient

Chemical	Registration No.	CAS No.	EC No.	Concentration	Classification
Name		_			
EVA	N/A	24937-78-8	607-457-0	55-80%	Not
					Classified
RESIN	01-2119486685-21-XXXX	8050-26-8	232-479-9	20-45%	Not
					Classified

Hazards Identification SECTION 3

Classification of the substance/mixture

Classification: The mixture is classified as following according to REGULATION (EC) No 1272/2008:

REGULATION (EC) No 1272/2008	
Hazard classes/Hazard categories	Hazard codes
N/A	N/A

Labels elements:

Hazard Pictograms:

No hazard pictogram is use

Signal Word(S):

No signal word is used

Hazard Statement: Precautionary statement: Not applicable Not applicable

Other hazards:

Not available

+44 (0) 20 8451 6188

Shesto Ltd.

sales@shesto.co.uk

Sunley House, Olds Approach

www.shesto.com

Watford, Herts. WD18 97B. UK

Registered in England No. 428331

Craft, Model & Hobby Supplies



Lighting & Magnification Solutions



First Aid Measures

Description of first aid measures: In all cases of doubt or when symptoms persist seek medical attention.

In case of inhalation: Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel Get medical attention if symptoms occur.

In case of skin contact: Flush contaminated skin with plenty of water Remove contaminated clothing and shoes. Get medical attention if symptoms occur

In case of eyes contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

In case of ingestion: Wash out mouth with water. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed: The product is not classified as harmful to human health effect.

Indication of any immediate medical attention and special treatment needed: if skin irritation or rash occurs, get medical advice/attention.

SECTION 5

Fire Fighting Measures

Extinguishing media:

Suitable extinguishing media: Use fire extinguishers with class A extinguishing agent (like water or foam).

Unsuitable extinguishing media: Not available.

Special hazards arising from the substance or mixture: in case of fire, the following can be released: carbon monoxide, carbon dioxide.

Advice for firefighters: Fire-fighters should wear full protective equipment and sell-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

444 (0) 20 8451 6188

sales@shesto.co.uk

www.shesto.com

Shesto Ltd.

Sunley House, Olds Approach

Watford, Herts. WD18 91B. UK

Registered in England No. 428331

Craft, Model & Hobby Supplies

To also for Francisco and San Propolation For

Tools & Equipment for Precision Engineering

Lighting & Magnification Solutions



Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel: Provide adequate ventilation. Avoid inhalation of dust. Avoid skin and eye contact. Refer to section 8 of SDS for personal protection details.

For emergency responders: Wear an appropriate NIOSH/MSHA approved respirator it dust is generated.

Environmental Precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods for Containment and Cleaning up: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid creating dusty conditions and prevent wind dispersal. Do not use air hoses for cleaning. Minimize dry sweeping to avoid generation of dust clouds. Vacuum dust-accumulating surfaces and remove to a chemical disposal area. Use spark-proof tools and explosion-proof equipment. Vacuums with explosion-proof motors should he used. Dispose of via a licensed waste disposal contractor.

Reference to other sections: See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7

Handling & Storage

Precautions for safe handling:

Protective measures: Good hygienic practices should be observed. Avoid contact with skin and eyes. Avoid breathing dust. If exposed to high dust concentration, leave area immediately. Work clothes should be washed separately at the end of each work day. Keep away from sources of ignition. Ensure good ventilation/exhaustion at the workplace.

Advice on general occupational hygiene: Do not eat, drink and smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.

Conditions for safe storage, including any incompatibilities: Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep away from heat, hot surfaces, sparks and flame. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Specific end use(s): Not applicable.

444 (0) 20 8451 6188

Shesto Ltd.

sales@shesto.co.uk

Sunley House, Olds Approach

www.shesto.com

Watford, Herts, WD18 9TB, UK

Registered in England No. 428331

Craft, Model & Hobby Supplies

Tools & Equipment for Precision Engineering

Lighting & Magnification Solutions



Exposure Control/ Personal Protection

Control parameters:

Occupational exposure limits: Not available.

Additional exposure limits under the conditions of use: Not available.

DNEL/DMEL and PNEC-Values: Not available.

Exposure controls:

Appropriate engineering controls: Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Safety glasses when eye contact is possible.

Hand protection: Handle with gloves. The selected protective gloves have in satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body protection: Wear suitable protective clothing to prevent skin exposure. Respiratory protection: Suitable respiratory protective device recommended.

Thermal hazards: Wear suitable protective clothing to prevent heat.

Environmental exposure controls: Avoid discharge into the environment. According to local regulations, Federal and official regulations.

SECTION 9

Physical & Chemical Properties

Appearance: Solid

Colour: Natural colour Odour: Characteristic Odour threshold: Not available pH: Not available

Melting point/range (°C): 85-92°C

Boiling point/range (°C):

Flash point (°C):

Evaporation rate:

Flammability limit - lower (%):

Not available

Not available

Flammability (solid, gas):

Ignition temperature (°C):

Upper/lower flammability/explosive limits:

Not available

Not available

Vapour pressure (20°C): Not available

L +44 (0) 20 8451 6188

Shesto Ltd.

sales@shesto.co.uk

Sunley House, Olds Approach

www.shesto.com

Watford, Herts. WD18 9TB. UK

Registered in England No. 428331

🎒 Craft, Model & Hobby Supplies

Tools & Equipment for Precision Engineering

Lighting & Magnification Solutions



Not available Vapour density:

 $0.981\pm0.02 \text{ g/cm}3$ Density:

Bulk density (kg/m^3) : Not available Water solubility (g/l): Not available Not available n-Octanol/water (log Po/w): Not available Auto-ignition temperature: Not available Decomposition temperature:

7000-9000mpa.S (200°C) CPS Viscosity, dynamic (mPa.s):

Not available Explosive properties: Not available Oxidising properties: Fat solubility (solvent- oil to be specified) etc: Not available Not available Surface tension: Dissociation constant in water (pKa): Not available

Not available Oxidation-reduction Potential:

SECTION 10

Stability & Reactivity

Reactivity: The substance is stable under normal storage and handling conditions.

Chemical stability: Stable at room temperature in closed containers under normal storage and handling conditions.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: incompatible materials. Avoid extreme heat. Avoid direct sunlight.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: In case of fire, the following can be released: carbon

monoxide, carbon dioxide.

SECTION 11

Toxicological Information

Information on toxicological effects:

Acute toxicity:

RESIN (CAS# 8050-2&8)

LD50 (Oral, Rat): > 2000 mg/kg bw, male

> 2000 mg/kg bw LD50 (Dermal, Rat):

Not available LC50 (Inhalation, Rat): Skin corrosion/irritation: Not classified Not classified Serious eye damage/irritation: Respiratory or skin sensitization: Not classified Germ cell mutagenicity: Not classified

444 (0) 20 8451 6188

Shesto Ltd.

sales@shesto.co.uk

Sunley House, Olds Approach

www.shesto.com

Watford, Herts, WD18 9TB, UK

Registered in England No. 428331

Craft, Model & Hobby Supplies

Tools & Equipment for Precision Engineering

Lighting & Magnification Solutions



Not classified Carcinogenicity: Reproductive toxicity: Not classified

STOT- single exposure: Not classified Not classified STOT-repeated exposure:

Not classified Aspiration hazard:

SECTION 12 Ecological Information

Toxicity:

RESIN(CAS# 8050-26-8)

Acute to	xicity	Time	Species	Method	Evaluation	Remarks
LL50	>1000 mg/I	96h	Fish	OECD 203	N/A	N/A
EL50	>100 mg/I	48h	Daphnia	OECD 202	N/A	N/A
EL50	>1000 mg/I	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability:

Not available.

Bioaccumulative potential:

Not available.

Mobility in soil:

Not available.

Results of PBT&vPvB assessment:

Not available.

Other adverse effects:

Not available.

Disposal Considerations SECTION 13

Waste treatment methods: The material should be disposed of by incineration in a chemical incinerator in compliance with national and regional requirements.

	SECTION 14	Transport Information	
- 1		_	

	Land transport	Sea transport	Air transport
	(ADRIRID)	(IMDG)	(ICAOIIATA)
UN-Number	Not regulated	Not regulated	Not regulated
UN Proper shipping name	Not regulated	Not regulated	Not regulated
Transport hazard Class	Not regulated	Not regulated	Not regulated
Packaging group	Not regulated	Not regulated	Not regulated
Environmental hazards No	No	No	No
Special precautions for user	See section 2.2	See section 2.2	See section 2.2
Transport In bulk according to Annex II	Not regulated	Not regulated	Not regulated
of Marpol and the IBC Code			

444 (0) 20 8451 6188

Shesto Ltd.

sales@shesto.co.uk

Sunley House, Olds Approach

www.shesto.com

Watford, Herts, WD18 9TB, UK

Registered in England No. 428331

Craft, Model & Hobby Supplies

Tools & Equipment for Precision Engineering

Lighting & Magnification Solutions



Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

Relevant information regarding authorization: Not applicable. Relevant information regarding restriction: Not applicable.

Other EU regulations: Employment restrictions concerning young person must be observed. For

use only by technically qualified individuals. Other National regulations: Not applicable.

Chemical Safety Assessment has been carried out? YES

OV	X

SECTION 16

Other Information

Indication of changes: Version 1.0 Amended by (EU) 2015/830

Training instructions: Not applicable.

Further information: This information is based upon the present state of our knowledge. This

SDS has been complied and is solely intended for this product.

Notice to reader: Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Ray Skitt Name:

Position: Operations Manager

Date: 04/01/2019

Authorised Signatory:

